



CONSOLIDATED TEST RESULTS SUMMARY

Please see the following pages for full test results.

BULK SKU GMY.D9.MP5 **BATCH # GK32** **SERVING SIZE 1 Gummy (5g)**

PRODUCT NAME Mango Pineapple THC Gummy **LABORATORY SC Labs**

POTENCY	PER SERVING		PER GRAM	
Cannabidiol (CBD)	25.2	mg/serving	5.03	mg/g
Total THC (d9-THC, THCA)	4.95	mg/serving	0.99	mg/g
Cannabigerol (CBG)	<LOQ	mg/serving	<LOQ	mg/g
Cannabinol (CBN)	<LOQ	mg/serving	<LOQ	mg/g
Cannabichromene (CBC)	<LOQ	mg/serving	<LOQ	mg/g
Tetrahydrocannabinolic Acid (THCA)	<LOQ	mg/serving	<LOQ	mg/g
Delta-9-THC (d9-THC)	4.95	mg/serving	0.99	mg/g
Delta-8-THC (d8-THC)	0.04	mg/serving	0.008	mg/g

HEAVY METALS	PER GRAM		REGULATORY ACTION LEVEL
Arsenic	<LOQ	µg/g	1.5 µg/g
Cadmium	<LOQ	µg/g	0.5 µg/g
Lead	<LOQ	µg/g	0.5 µg/g
Mercury	<LOQ	µg/g	3.0 µg/g

RESIDUAL SOLVENTS	PER GRAM		REGULATORY ACTION LEVEL
Ethanol ^[1]	<LOQ	µg/g	5,000 µg/g
Heptane	<LOQ	µg/g	5,000 µg/g

None of the other 18 residual solvents tested found above the limit of quantitation.

MICROBIAL	PASS/FAIL
Yeast & Mold	Pass
Total Aerobic Bacteria	Pass

PESTICIDES
None of the 66 pesticides tested found above the limit of detection.



LOQ: Limit of Quantitation

1. Ethanol is a food additive used in some of our ingredients. The FDA has labeled ethanol as Generally Recognized as Safe (GRAS). Many foods contain trace amounts of ethanol, including soy sauce, pasta sauces, fruits and juices, etc. Our products contain safe levels of ethanol and always below pertinent regulatory action levels.

Sample Name: **GMY.D9.MP5.V2-GK32**
 Tested for: **Lazarus Naturals-Oregon**
Quality Control Testing

Laboratory ID: 25A0018-01

Matrix: Products

Sample Metrc ID: N/A

Lot # GK32

Batch RFID: N/A

Batch Size: N/A

Harvest Date: N/A

License: NA


Date Sampled: 01/06/25 00:00

Date Accepted: 01/06/25



Result Summary

ANALYSIS	VALUE	PASS/FAIL
Total Cannabinoids	0.605 %	
Total CBD	0.503 %	
Total THC	0.099 %	
Pesticides		PASS
Metals		PASS
Residual Solvent Analy		PASS




 Breeanna Hamilton
 Lab Director

Informational testing only, not for OLCC/OMMP/ODA compliance. These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2016 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Sample Name: **GMV.D9.MP5.V2-GK32**
 Tested for: **Lazarus Naturals-Oregon**
Quality Control Testing

Laboratory ID: 25A0018-01

Matrix: Products

Sample Metrc ID: N/A

Lot # GK32

Batch RFID: N/A

Batch Size: N/A

Harvest Date: N/A

License: NA

Date Sampled: 01/06/25 00:00

Date Accepted: 01/06/25




Potency Analysis

Date Extracted: 01/07/25

Analysis Method: UNODC 5.4.8

Date Analyzed: 01/09/25

* - ORELAP certified analyte

Cannabinoids	% weight	mg/g	LOQ (%)	Cannabinoids Profile
Total CBD ((CBDA*0.877)+CBD)	0.503	5.03	0.0005	
Total THC ((THCA*0.877)+d9)	0.099	0.99	0.0005	
d9-THC (d9-Tetrahydrocannabinol)*	0.099	0.99	0.0005	
d8-THC (d8-Tetrahydrocannabinol)*	0.0008	0.008	0.0005	
THCA (d9-Tetrahydrocannabinolic Acid)*	< LOQ	< LOQ	0.0005	
CBD (Cannabidiol)*	0.503	5.03	0.0005	
CBDA (Cannabidiolic Acid)*	< LOQ	< LOQ	0.0005	
CBN (Cannabinol)	< LOQ	< LOQ	0.0005	
CBG (Cannabigerol)	< LOQ	< LOQ	0.0005	
CBGA (Cannabigerolic Acid)	< LOQ	< LOQ	0.0005	
CBDV (Cannabidivarin)	0.002	0.02	0.0005	
CBDVA (Cannabidivarinic Acid)	< LOQ	< LOQ	0.0005	
CBC (Cannabichromene)	< LOQ	< LOQ	0.001	
CBCA (Cannabichromenic Acid)	< LOQ	< LOQ	0.008	
THCV (Tetrahydrocannabivarin)	< LOQ	< LOQ	0.0005	
THCVA (Tetrahydrocannabivarinic Acid)	< LOQ	< LOQ	0.008	
Total Cannabinoids	0.605	6.05	0.0005	

<LOQ - Results below the Limit of Quantitation


 Breeanna Hamilton
 Lab Director

Informational testing only, not for OLCC/OMMP/ODA compliance. These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2016 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Sample Name: GMV.D9.MP5.V2-GK32	License: NA
Tested for: Lazarus Naturals-Oregon	Date Sampled: 01/06/25 00:00
Quality Control Testing	Date Accepted: 01/06/25
Laboratory ID: 25A0018-01	Sample Metric ID: N/A
Matrix: Products	Batch RFID: N/A
Lot # GK32	Batch Size: N/A

Pesticide Analysis in ppm

Date Extracted: 01/08/25	Analysis Method: SC-OR-ORG-003
Date Analyzed: 01/08/25	Results above the action levels are highlighted in red #.

Analyte	Result	Action Level	LOQ	Analyte	Result	Action Level	LOQ
Abamectin	< LOQ	0.5	0.230	Acephate	< LOQ	0.4	0.184
Acequinocyl	< LOQ	2	0.919	Acetamiprid	< LOQ	0.2	0.092
Aldicarb	< LOQ	0.4	0.184	Azoxystrobin	< LOQ	0.2	0.092
Bifenazate	< LOQ	0.2	0.092	Bifenthrin	< LOQ	0.2	0.092
Boscalid	< LOQ	0.4	0.184	Carbaryl	< LOQ	0.2	0.092
Carbofuran	< LOQ	0.2	0.092	Chlorantraniliprole	< LOQ	0.2	0.092
Chlorfenapyr	< LOQ	1	0.460	Chlorpyrifos	< LOQ	0.2	0.092
Clofentezine	< LOQ	0.2	0.092	Cyfluthrin	< LOQ	1	0.460
Cypermethrin	< LOQ	1	0.460	Daminozide	< LOQ	1	0.460
DDVP (Dichlorvos)	< LOQ	1	0.460	Diazinon	< LOQ	0.2	0.092
Dimethoate	< LOQ	0.2	0.092	Ethoprophos	< LOQ	0.2	0.092
Etofenprox	< LOQ	0.4	0.184	Etoxazole	< LOQ	0.2	0.092
Fenoxycarb	< LOQ	0.2	0.092	Fenpyroximate	< LOQ	0.4	0.184
Fipronil	< LOQ	0.4	0.184	Fonicamid	< LOQ	1	0.460
Fludioxonil	< LOQ	0.4	0.184	Hexythiazox	< LOQ	1	0.460
Imazalil	< LOQ	0.2	0.092	Imidacloprid	< LOQ	0.4	0.184
Kresoxim-methyl	< LOQ	0.4	0.184	Malathion	< LOQ	0.2	0.092
Metalaxyl	< LOQ	0.2	0.092	Methiocarb	< LOQ	0.2	0.092
Methomyl	< LOQ	0.4	0.184	Methyl parathion	< LOQ	0.2	0.092
MGK-264	< LOQ	0.2	0.092	Myclobutanil	< LOQ	0.2	0.092
Naled	< LOQ	0.5	0.230	Oxamyl	< LOQ	1	0.460
Paclobutrazol	< LOQ	0.4	0.184	Permethrins (total)	< LOQ	0.2	0.092
Phosmet	< LOQ	0.2	0.092	Piperonyl butoxide	< LOQ	2	0.460
Prallethrin	< LOQ	0.2	0.092	Propiconazole	< LOQ	0.4	0.184
Propoxur	< LOQ	0.2	0.092	Pyrethrins (total)	< LOQ	1	0.460
Pyridaben	< LOQ	0.2	0.092	Spinosad	< LOQ	0.2	0.092
Spiromesifen	< LOQ	0.2	0.092	Spirotetramat	< LOQ	0.2	0.092
Spiroxamine	< LOQ	0.4	0.184	Tebuconazole	< LOQ	0.4	0.184
Thiacloprid	< LOQ	0.2	0.092	Thiamethoxam	< LOQ	0.2	0.092
Trifloxystrobin	< LOQ	0.2	0.092				

<LOQ - Results below the Limit of Quantitation


 Breeanna Hamilton
 Lab Director

Informational testing only, not for OLCC/OMMP/ODA compliance. These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2016 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Sample Name: GMV.D9.MP5.V2-GK32	License: NA
Tested for: Lazarus Naturals-Oregon	Date Sampled: 01/06/25 00:00
Quality Control Testing	Date Accepted: 01/06/25
Laboratory ID: 25A0018-01	Sample Metric ID: N/A
Matrix: Products	Batch RFID: N/A
Lot # GK32	Batch Size: N/A

Residual Solvents

Solvent	Results in ug/g	Action Level	LOQ	Date Extracted: 01/08/25
1,4-Dioxane	< LOQ	380	174	Date Analyzed: 01/08/25
2-Butanol	< LOQ	5000	2280	Analysis Method: USP 467
2-Ethoxyethanol	< LOQ	160	73.1	
2-Propanol (IPA)	< LOQ	5000	2280	
Acetone	< LOQ	5000	2280	
Acetonitrile	< LOQ	410	187	
Benzene	< LOQ	2	0.913	
Butanes	< LOQ	5000	2280	
Cyclohexane	< LOQ	3880	1770	
Dichloromethane (methylene chloride)	< LOQ	600	274	
Ethyl acetate	< LOQ	5000	2280	
Ethyl ether	< LOQ	5000	2280	
Ethylbenzene	< LOQ	2170	991	
Ethylene glycol	< LOQ	620	283	
Ethylene oxide	< LOQ	50	22.8	
Heptane	< LOQ	5000	2280	
Hexanes	< LOQ	290	132	
Isopropyl acetate	< LOQ	5000	2280	
Isopropylbenzene (cumene)	< LOQ	70	32.0	
Methanol	< LOQ	3000	1370	
Pentanes	< LOQ	5000	2280	
Propane	< LOQ	5000	2280	
Tetrahydrofuran	< LOQ	720	329	
Toluene	< LOQ	890	406	
Xylenes	< LOQ	2170	991	

<LOQ - Results below the Limit of Quantitation

Results above the Action Level fail state testing requirements and will be highlighted **Red #**.


 Breeanna Hamilton
 Lab Director

Informational testing only, not for OLCC/OMMP/ODA compliance. These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2016 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Sample Name: GMY.D9.MP5.V2-GK32	License: NA
Tested for: Lazarus Naturals-Oregon	Date Sampled: 01/06/25 00:00
Quality Control Testing	Date Accepted: 01/06/25
Laboratory ID: 25A0018-01	Sample Metric ID: N/A
Matrix: Products	Batch RFID: N/A
Lot # GK32	Batch Size: N/A

Metals Analysis by ICPMS

Date/Time Extracted: **01/08/25 09:26**

Analysis Method/SOP: **AOAC 2013.06**

Date/Time Analyzed: **01/09/25**

Results above the action levels are highlighted in **red #**.

Analyte	Result	LOQ	Units	Action Level
Arsenic (As)	< LOQ	0.089	ug/g	0.2
Cadmium (Cd)	< LOQ	0.089	ug/g	0.2
Lead (Pb)	< LOQ	0.089	ug/g	0.5
Mercury (Hg)	< LOQ	0.044	ug/g	0.1



Breeanna Hamilton
 Lab Director

Informational testing only, not for OLCC/OMMP/ODA compliance. These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2016 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Case Narrative

Pesticides - Pyridaben recovered below the lower acceptance limit in the Matrix Spike and/or Matrix Spike Duplicate. The Blank Spike recovered within acceptance limits for this analyte.

Total Permethrins results recovered above acceptance criteria in the Matrix Spike and/or Matrix Spike Duplicate. The Blank Spike recovered within acceptance limits for this analyte. Analyte below reporting limit client samples.

Quality Control Potency

Batch: B250047 - Potency/Terpenes

Blank(B250047-BLK1)			Extracted - 01/07/25 18:49 Analyzed - 01/09/25 11:51					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
d9-THC (d9-Tetrahydrocannabinol)	< LOQ	%						
d8-THC (d8-Tetrahydrocannabinol)	< LOQ	%						
THCA (d9-Tetrahydrocannabinolic Acid)	< LOQ	%						
CBD (Cannabidiol)	< LOQ	%						
CBDA (Cannabidiolic Acid)	< LOQ	%						
CBN (Cannabinol)	< LOQ	%						
CBG (Cannabigerol)	< LOQ	%						
CBGA (Cannabigerolic Acid)	< LOQ	%						
CBDV (Cannabidivarin)	< LOQ	%						
CBDVA (Cannabidivarinic Acid)	< LOQ	%						
CBC (Cannabichromene)	< LOQ	%						
CBCA (Cannabichromenic Acid)	< LOQ	%						
THCV (Tetrahydrocannabivarin)	< LOQ	%						
THCVA (Tetrahydrocannabivarinic Acid)	< LOQ	%						

Duplicate(B250047-DUP1)			Extracted - 01/07/25 18:49 Analyzed - 01/09/25 12:00					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
d9-THC (d9-Tetrahydrocannabinol)	0.183	%		0.182			0.241	20
d8-THC (d8-Tetrahydrocannabinol)	< LOQ	%		< LOQ				20
THCA (d9-Tetrahydrocannabinolic Acid)	< LOQ	%		< LOQ				20
CBD (Cannabidiol)	0.0003	%		0.0003			2.03	20
CBDA (Cannabidiolic Acid)	< LOQ	%		< LOQ				20
CBN (Cannabinol)	0.006	%		0.006			0.0743	20
CBG (Cannabigerol)	0.010	%		0.010			1.11	20
CBGA (Cannabigerolic Acid)	< LOQ	%		< LOQ				20
CBDV (Cannabidivarin)	< LOQ	%		< LOQ				20


 Breeanna Hamilton
 Lab Director

Informational testing only, not for OLCC/OMMP/ODA compliance. These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2016 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Quality Control Potency (Continued)

Batch: B250047 - Potency/Terpenes (Continued)

Duplicate(B250047-DUP1)			Extracted - 01/07/25 18:49 Analyzed - 01/09/25 12:00					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
CBDVA (Cannabidivarinic Acid)	< LOQ	%		< LOQ				20
CBC (Cannabichromene)	0.006	%		0.006			0.615	20
CBCA (Cannabichromenic Acid)	< LOQ	%		< LOQ				20
THCV (Tetrahydrocannabivarin)	0.001	%		0.001			0.0676	20
THCVA (Tetrahydrocannabivarinic Acid)	< LOQ	%		< LOQ				20

LCS(B250047-BS1)			Extracted - 01/07/25 18:49 Analyzed - 01/09/25 11:42					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
d9-THC (d9-Tetrahydrocannabinol)	0.027	%	0.0278		97.3	90-110		
d8-THC (d8-Tetrahydrocannabinol)	0.028	%	0.0283		98.0	90-110		
THCA (d9-Tetrahydrocannabinolic Acid)	0.030	%	0.0315		95.7	90-110		
CBD (Cannabidiol)	0.027	%	0.0279		97.0	90-110		
CBDA (Cannabidiolic Acid)	0.030	%	0.0300		98.4	90-110		
CBN (Cannabinol)	0.0005	%				80-120		
CBG (Cannabigerol)	0.001	%				80-120		
CBGA (Cannabigerolic Acid)	0.0005	%				80-120		
CBDV (Cannabidivarin)	0.001	%				80-120		
CBDVA (Cannabidivarinic Acid)	0.0002	%				80-120		
CBC (Cannabichromene)	< LOQ	%				80-120		
CBCA (Cannabichromenic Acid)	< LOQ	%				80-120		
THCV (Tetrahydrocannabivarin)	< LOQ	%				80-120		
THCVA (Tetrahydrocannabivarinic Acid)	< LOQ	%				80-120		

Pesticide Analysis

Batch: B250052 - Pesticide Prep

Blank(B250052-BLK1)			Extracted - 01/08/25 16:24 Analyzed - 01/08/25 19:34					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Abamectin	< LOQ	ppm						
Acephate	< LOQ	ppm						
Acequinocyl	< LOQ	ppm						
Acetamiprid	< LOQ	ppm						
Aldicarb	< LOQ	ppm						
Azoxystrobin	< LOQ	ppm						



 Breeanna Hamilton
 Lab Director

Informational testing only, not for OLCC/OMMP/ODA compliance. These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2016 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Quality Control

Pesticide Analysis (Continued)

Batch: B250052 - Pesticide Prep (Continued)

Blank(B250052-BLK1)		Extracted - 01/08/25 16:24 Analyzed - 01/08/25 19:34						
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Bifenazate	< LOQ	ppm						
Bifenthrin	< LOQ	ppm						
Boscalid	< LOQ	ppm						
Carbaryl	< LOQ	ppm						
Carbofuran	< LOQ	ppm						
Chlorantraniliprole	< LOQ	ppm						
Chlorfenapyr	< LOQ	ppm						
Chlorpyrifos	< LOQ	ppm						
Clofentezine	< LOQ	ppm						
Cyfluthrin	< LOQ	ppm						
Cypermethrin	< LOQ	ppm						
Daminozide	< LOQ	ppm						
DDVP (Dichlorvos)	< LOQ	ppm						
Diazinon	< LOQ	ppm						
Dimethoate	< LOQ	ppm						
Ethoprophos	< LOQ	ppm						
Etofenprox	< LOQ	ppm						
Etoxazole	< LOQ	ppm						
Fenoxycarb	< LOQ	ppm						
Fenpyroximate	< LOQ	ppm						
Fipronil	< LOQ	ppm						
Flonicamid	< LOQ	ppm						
Fludioxonil	< LOQ	ppm						
Hexythiazox	< LOQ	ppm						
Imazalil	< LOQ	ppm						
Imidacloprid	< LOQ	ppm						
Kresoxim-methyl	< LOQ	ppm						
Malathion	< LOQ	ppm						
Metalaxyl	< LOQ	ppm						
Methiocarb	< LOQ	ppm						
Methomyl	< LOQ	ppm						
Methyl parathion	< LOQ	ppm						
MGK-264	< LOQ	ppm						
Myclobutanil	< LOQ	ppm						
Naled	< LOQ	ppm						



 Breeanna Hamilton
 Lab Director

Informational testing only, not for OLCC/OMMP/ODA compliance. These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNJ 2016 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Quality Control

Pesticide Analysis (Continued)

Batch: B250052 - Pesticide Prep (Continued)

Blank(B250052-BLK1)		Extracted - 01/08/25 16:24 Analyzed - 01/08/25 19:34						
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Oxamyl	< LOQ	ppm						
Paclbutrazol	< LOQ	ppm						
Permethrins (total)	< LOQ	ppm						
Phosmet	< LOQ	ppm						
Piperonyl butoxide	< LOQ	ppm						
Prallethrin	< LOQ	ppm						
Propiconazole	< LOQ	ppm						
Propoxur	< LOQ	ppm						
Pyrethrins (total)	< LOQ	ppm						
Pyridaben	< LOQ	ppm						
Spinosad	< LOQ	ppm						
Spiromesifen	< LOQ	ppm						
Spirotetramat	< LOQ	ppm						
Spiroxamine	< LOQ	ppm						
Tebuconazole	< LOQ	ppm						
Thiacloprid	< LOQ	ppm						
Thiamethoxam	< LOQ	ppm						
Trifloxystrobin	< LOQ	ppm						

LCS(B250052-BS1)		Extracted - 01/08/25 16:24 Analyzed - 01/08/25 19:50						
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Abamectin	2.02	ppm	1.94		104	50-150		
Acephate	2.00	ppm	2.00		100	60-120		
Acequinocyl	2.38	ppm	2.00		119	40-160		
Acetamiprid	2.04	ppm	2.00		102	60-120		
Aldicarb	1.97	ppm	2.00		98.5	60-120		
Azoxystrobin	2.10	ppm	2.00		105	60-120		
Bifenazate	2.25	ppm	2.00		112	60-120		
Bifenthrin	1.93	ppm	2.00		96.3	50-150		
Boscalid	1.93	ppm	2.00		96.3	60-120		
Carbaryl	1.88	ppm	2.00		94.2	60-120		
Carbofuran	1.97	ppm	2.00		98.4	60-120		
Chlorantraniliprole	1.91	ppm	2.00		95.6	60-120		
Chlorfenapyr	1.93	ppm	2.00		96.7	60-120		
Chlorpyrifos	1.98	ppm	2.00		99.1	60-120		


 Breeanna Hamilton
 Lab Director

Informational testing only, not for OLCC/OMMP/ODA compliance. These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2016 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Quality Control

Pesticide Analysis (Continued)

Batch: B250052 - Pesticide Prep (Continued)

LCS(B250052-BS1)		Extracted - 01/08/25 16:24 Analyzed - 01/08/25 19:50						
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Clofentezine	1.96	ppm	2.00		98.0	60-120		
Cyfluthrin	1.96	ppm	2.00		98.2	50-150		
Cypermethrin	1.99	ppm	2.00		99.3	50-150		
Daminozide	1.20	ppm	2.00		60.2	60-120		
DDVP (Dichlorvos)	1.98	ppm	2.00		99.2	60-120		
Diazinon	1.99	ppm	2.00		99.4	60-120		
Dimethoate	2.03	ppm	2.00		102	60-120		
Ethoprophos	2.01	ppm	2.00		101	60-120		
Etofenprox	1.99	ppm	2.00		99.5	50-150		
Etoxazole	2.08	ppm	2.00		104	60-120		
Fenoxycarb	2.00	ppm	2.00		99.9	60-120		
Fenpyroximate	1.96	ppm	2.00		98.0	60-120		
Fipronil	2.09	ppm	2.00		104	60-120		
Flonicamid	2.02	ppm	2.00		101	60-120		
Fludioxonil	1.99	ppm	2.00		99.7	50-150		
Hexythiazox	2.00	ppm	2.00		100	60-120		
Imazalil	1.93	ppm	2.00		96.7	60-120		
Imidacloprid	1.97	ppm	2.00		98.4	60-120		
Kresoxim-methyl	2.06	ppm	2.00		103	60-120		
Malathion	2.10	ppm	2.00		105	60-120		
Metalaxyl	1.90	ppm	2.00		94.8	60-120		
Methiocarb	2.00	ppm	2.00		100	60-120		
Methomyl	2.05	ppm	2.00		102	60-120		
Methyl parathion	2.05	ppm	2.00		103	50-150		
MGK-264	2.02	ppm	2.00		101	50-150		
Myclobutanil	1.96	ppm	2.00		97.8	60-120		
Naled	1.35	ppm	2.00		67.4	50-150		
Oxamyl	1.97	ppm	2.00		98.5	60-120		
Paclobutrazol	1.99	ppm	2.00		99.5	60-120		
Permethrins (total)	1.86	ppm	2.00		92.8	50-150		
Phosmet	1.95	ppm	2.00		97.3	50-150		
Piperonyl butoxide	2.02	ppm	2.00		101	60-120		
Prallethrin	1.97	ppm	2.00		98.3	60-120		
Propiconazole	1.94	ppm	2.00		97.0	60-120		
Propoxur	1.96	ppm	2.00		97.9	60-120		



 Breeanna Hamilton
 Lab Director

Informational testing only, not for OLCC/OMMP/ODA compliance. These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2016 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Quality Control

Pesticide Analysis (Continued)

Batch: B250052 - Pesticide Prep (Continued)

LCS(B250052-BS1)		Extracted - 01/08/25 16:24 Analyzed - 01/08/25 19:50						
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Pyrethrins (total)	1.25	ppm	1.16		108	60-120		
Pyridaben	2.06	ppm	2.00		103	50-150		
Spinosad	1.96	ppm	2.00		98.1	50-150		
Spiromesifen	1.35	ppm	2.00		67.4	60-120		
Spirotetramat	2.02	ppm	2.00		101	60-120		
Spiroxamine	1.98	ppm	2.00		99.2	60-120		
Tebuconazole	2.07	ppm	2.00		104	60-120		
Thiacloprid	2.06	ppm	2.00		103	60-120		
Thiamethoxam	1.94	ppm	2.00		97.0	60-120		
Trifloxystrobin	2.01	ppm	2.00		101	60-120		

Matrix Spike(B250052-MS1)		Extracted - 01/08/25 16:24 Analyzed - 01/08/25 20:06						
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Abamectin	2.82	ppm	1.75	< LOQ	161	30-200		
Acephate	1.89	ppm	1.80	< LOQ	105	30-200		
Acequinocyl	1.19	ppm	1.80	< LOQ	66.0	30-200		
Acetamiprid	1.88	ppm	1.80	< LOQ	104	30-200		
Aldicarb	1.73	ppm	1.80	< LOQ	96.3	30-200		
Azoxystrobin	1.87	ppm	1.80	< LOQ	104	30-200		
Bifenazate	2.19	ppm	1.80	< LOQ	122	30-200		
Bifenthrin	1.20	ppm	1.80	< LOQ	66.8	30-200		
Boscalid	1.62	ppm	1.80	< LOQ	89.9	30-200		
Carbaryl	1.81	ppm	1.80	< LOQ	100	30-200		
Carbofuran	1.81	ppm	1.80	< LOQ	100	30-200		
Chlorantraniliprole	1.98	ppm	1.80	< LOQ	110	30-200		
Chlorfenapyr	1.12	ppm	1.80	< LOQ	62.3	30-200		
Chlorpyrifos	1.93	ppm	1.80	< LOQ	107	30-200		
Clofentezine	1.22	ppm	1.80	< LOQ	67.5	30-200		
Cyfluthrin	2.09	ppm	1.80	< LOQ	116	30-200		
Cypermethrin	2.08	ppm	1.80	< LOQ	115	30-200		
Daminozide	1.15	ppm	1.80	< LOQ	63.7	30-200		
DDVP (Dichlorvos)	1.88	ppm	1.80	< LOQ	104	30-200		
Diazinon	1.75	ppm	1.80	< LOQ	97.3	30-200		
Dimethoate	1.83	ppm	1.80	< LOQ	102	30-200		
Ethoprophos	1.88	ppm	1.80	< LOQ	104	30-200		



 Breeanna Hamilton
 Lab Director


Informational testing only, not for OLCC/OMMP/ODA compliance. These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2016 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Quality Control

Pesticide Analysis (Continued)

Batch: B250052 - Pesticide Prep (Continued)

Matrix Spike(B250052-MS1)			Extracted - 01/08/25 16:24 Analyzed - 01/08/25 20:06					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Etofenprox	1.38	ppm	1.80	< LOQ	76.6	30-200		
Etoxazole	2.01	ppm	1.80	< LOQ	111	30-200		
Fenoxycarb	1.98	ppm	1.80	< LOQ	110	30-200		
Fenpyroximate	2.39	ppm	1.80	< LOQ	133	30-200		
Fipronil	1.80	ppm	1.80	< LOQ	99.8	30-200		
Flonicamid	1.89	ppm	1.80	< LOQ	105	30-200		
Fludioxonil	1.91	ppm	1.80	< LOQ	106	30-200		
Hexythiazox	2.30	ppm	1.80	< LOQ	128	30-200		
Imazalil	1.81	ppm	1.80	< LOQ	100	30-200		
Imidacloprid	1.79	ppm	1.80	< LOQ	99.3	30-200		
Kresoxim-methyl	1.93	ppm	1.80	< LOQ	107	30-200		
Malathion	1.86	ppm	1.80	< LOQ	104	30-200		
Metalaxyl	1.86	ppm	1.80	< LOQ	103	30-200		
Methiocarb	1.88	ppm	1.80	< LOQ	104	30-200		
Methomyl	1.89	ppm	1.80	< LOQ	105	30-200		
Methyl parathion	1.83	ppm	1.80	< LOQ	102	30-200		
MGK-264	1.47	ppm	1.80	< LOQ	81.6	30-200		
Myclobutanil	1.85	ppm	1.80	< LOQ	103	30-200		
Naled	1.26	ppm	1.80	< LOQ	70.1	30-200		
Oxamyl	1.93	ppm	1.80	< LOQ	107	30-200		
Paclobutrazol	1.74	ppm	1.80	< LOQ	96.8	30-200		
Permethrins (total)	3.34	ppm	1.80	< LOQ	186	30-200		
Phosmet	1.88	ppm	1.80	< LOQ	104	30-200		
Piperonyl butoxide	1.69	ppm	1.80	0.02	93.1	30-200		
Prallethrin	1.84	ppm	1.80	< LOQ	102	30-200		
Propiconazole	1.63	ppm	1.80	< LOQ	90.6	30-200		
Propoxur	1.88	ppm	1.80	< LOQ	104	30-200		
Pyrethrins (total)	1.01	ppm	1.04	< LOQ	96.5	30-200		
Pyridaben	0.49	ppm	1.80	< LOQ	27.4	30-200		
Spinosad	1.68	ppm	1.80	< LOQ	93.3	30-200		
Spiromesifen	1.36	ppm	1.80	< LOQ	75.8	30-200		
Spirotetramat	2.86	ppm	1.80	< LOQ	159	30-200		
Spiroxamine	1.91	ppm	1.80	< LOQ	106	30-200		
Tebuconazole	1.77	ppm	1.80	< LOQ	98.4	30-200		
Thiacloprid	1.90	ppm	1.80	< LOQ	105	30-200		



 Breeanna Hamilton
 Lab Director

Informational testing only, not for OLCC/OMMP/ODA compliance. These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2016 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Quality Control

Pesticide Analysis (Continued)

Batch: B250052 - Pesticide Prep (Continued)

Matrix Spike(B250052-MS1)			Extracted - 01/08/25 16:24 Analyzed - 01/08/25 20:06					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit

Thiamethoxam	1.75	ppm	1.80	< LOQ	97.3	30-200		
Trifloxystrobin	1.77	ppm	1.80	< LOQ	98.4	30-200		

Matrix Spike Dup(B250052-MSD1)			Extracted - 01/08/25 16:24 Analyzed - 01/08/25					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit

Abamectin	2.59	ppm	1.70	< LOQ	152	30-200	5.94	50
Acephate	1.90	ppm	1.76	< LOQ	108	30-200	2.88	30
Acequinocyl	1.15	ppm	1.76	< LOQ	65.8	30-200	0.331	50
Acetamiprid	1.82	ppm	1.76	< LOQ	104	30-200	0.559	30
Aldicarb	1.97	ppm	1.76	< LOQ	112	30-200	15.2	30
Azoxystrobin	1.86	ppm	1.76	< LOQ	106	30-200	1.93	30
Bifenazate	2.11	ppm	1.76	< LOQ	120	30-200	1.36	30
Bifenthrin	1.14	ppm	1.76	< LOQ	65.1	30-200	2.68	30
Boscalid	1.60	ppm	1.76	< LOQ	91.0	30-200	1.26	30
Carbaryl	1.88	ppm	1.76	< LOQ	107	30-200	6.55	30
Carbofuran	1.87	ppm	1.76	< LOQ	107	30-200	6.24	30
Chlorantraniliprole	1.85	ppm	1.76	< LOQ	105	30-200	4.39	30
Chlorfenapyr	1.18	ppm	1.76	< LOQ	67.1	30-200	7.43	50
Chlorpyrifos	1.85	ppm	1.76	< LOQ	105	30-200	2.05	30
Clofentezine	1.21	ppm	1.76	< LOQ	68.8	30-200	1.94	30
Cyfluthrin	1.92	ppm	1.76	< LOQ	109	30-200	5.96	50
Cypermethrin	1.98	ppm	1.76	< LOQ	113	30-200	2.41	30
Daminozide	1.13	ppm	1.76	< LOQ	64.2	30-200	0.913	50
DDVP (Dichlorvos)	1.86	ppm	1.76	< LOQ	106	30-200	1.58	30
Diazinon	1.70	ppm	1.76	< LOQ	96.9	30-200	0.394	30
Dimethoate	1.80	ppm	1.76	< LOQ	103	30-200	1.01	30
Ethoprophos	1.83	ppm	1.76	< LOQ	104	30-200	0.314	30
Etofenprox	1.35	ppm	1.76	< LOQ	77.0	30-200	0.548	30
Etoxazole	2.03	ppm	1.76	< LOQ	116	30-200	3.77	30
Fenoxycarb	1.87	ppm	1.76	< LOQ	107	30-200	3.13	30
Fenpyroximate	2.32	ppm	1.76	< LOQ	132	30-200	0.598	30
Fipronil	1.70	ppm	1.76	< LOQ	96.7	30-200	3.15	30
Flonicamid	1.84	ppm	1.76	< LOQ	105	30-200	0.338	30
Fludioxonil	1.87	ppm	1.76	< LOQ	107	30-200	0.626	50
Hexythiazox	2.18	ppm	1.76	< LOQ	124	30-200	2.77	30


 Breeanna Hamilton
 Lab Director

Informational testing only, not for OLCC/OMMP/ODA compliance. These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2016 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Quality Control

Pesticide Analysis (Continued)

Batch: B250052 - Pesticide Prep (Continued)

Matrix Spike Dup(B250052-MSD1)			Extracted - 01/08/25 16:24 Analyzed - 01/08/25					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Imazalil	1.75	ppm	1.76	< LOQ	99.8	30-200	0.679	30
Imidacloprid	1.78	ppm	1.76	< LOQ	102	30-200	2.29	30
Kresoxim-methyl	1.90	ppm	1.76	< LOQ	108	30-200	0.889	30
Malathion	1.85	ppm	1.76	< LOQ	105	30-200	1.52	30
Metalaxyl	1.82	ppm	1.76	< LOQ	104	30-200	0.583	30
Methiocarb	1.79	ppm	1.76	< LOQ	102	30-200	2.07	30
Methomyl	1.90	ppm	1.76	< LOQ	108	30-200	2.93	30
Methyl parathion	1.90	ppm	1.76	< LOQ	108	30-200	6.54	30
MGK-264	1.42	ppm	1.76	< LOQ	81.1	30-200	0.581	30
Myclobutanil	1.81	ppm	1.76	< LOQ	103	30-200	0.0220	30
Naled	1.22	ppm	1.76	< LOQ	69.4	30-200	1.07	30
Oxamyl	1.82	ppm	1.76	< LOQ	104	30-200	3.20	30
Paclbutrazol	1.75	ppm	1.76	< LOQ	99.5	30-200	2.82	30
Permethrins (total)	3.53	ppm	1.76	< LOQ	201	30-200	8.01	30
Phosmet	1.82	ppm	1.76	< LOQ	104	30-200	0.796	30
Piperonyl butoxide	1.60	ppm	1.76	0.02	90.1	30-200	3.31	30
Prallethrin	1.80	ppm	1.76	< LOQ	103	30-200	0.758	30
Propiconazole	1.59	ppm	1.76	< LOQ	90.7	30-200	0.0673	30
Propoxur	1.80	ppm	1.76	< LOQ	103	30-200	1.84	30
Pyrethrins (total)	0.97	ppm	1.02	< LOQ	95.4	30-200	1.14	30
Pyridaben	0.49	ppm	1.76	< LOQ	27.9	30-200	1.72	30
Spinosad	1.66	ppm	1.76	< LOQ	94.4	30-200	1.10	35
Spiromesifen	1.35	ppm	1.76	< LOQ	76.8	30-200	1.35	30
Spirotetramat	2.75	ppm	1.76	< LOQ	157	30-200	1.29	30
Spiroxamine	1.86	ppm	1.76	< LOQ	106	30-200	0.108	30
Tebuconazole	1.81	ppm	1.76	< LOQ	103	30-200	4.80	30
Thiacloprid	1.89	ppm	1.76	< LOQ	108	30-200	1.96	30
Thiamethoxam	1.77	ppm	1.76	< LOQ	101	30-200	3.47	30
Trifloxystrobin	1.71	ppm	1.76	< LOQ	97.2	30-200	1.18	30

Solvent Analysis

Batch: B250049 - Residual Solvent Prep

Blank(B250049-BLK1)			Extracted - 01/08/25 16:17 Analyzed - 01/08/25 18:08					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit


 Breeanna Hamilton
 Lab Director

Informational testing only, not for OLCC/OMMP/ODA compliance. These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2016 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Quality Control

Solvent Analysis (Continued)

Batch: B250049 - Residual Solvent Prep (Continued)

Blank(B250049-BLK1)		Extracted - 01/08/25 16:17 Analyzed - 01/08/25 18:08						
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
1,4-Dioxane	< LOQ	ug/g						
2-Butanol	< LOQ	ug/g						
2-Ethoxyethanol	< LOQ	ug/g						
2-Propanol (IPA)	< LOQ	ug/g						
Acetone	< LOQ	ug/g						
Acetonitrile	< LOQ	ug/g						
Benzene	< LOQ	ug/g						
Butanes	< LOQ	ug/g						
Cyclohexane	< LOQ	ug/g						
Dichloromethane (methylene chloride)	< LOQ	ug/g						
Ethyl acetate	< LOQ	ug/g						
Ethyl ether	< LOQ	ug/g						
Ethylbenzene	< LOQ	ug/g						
Ethylene glycol	< LOQ	ug/g						
Ethylene oxide	< LOQ	ug/g						
Heptane	< LOQ	ug/g						
Hexanes	< LOQ	ug/g						
Isopropyl acetate	< LOQ	ug/g						
Isopropylbenzene (cumene)	< LOQ	ug/g						
Methanol	< LOQ	ug/g						
Pentanes	< LOQ	ug/g						
Propane	< LOQ	ug/g						
Tetrahydrofuran	< LOQ	ug/g						
Toluene	< LOQ	ug/g						
Xylenes	< LOQ	ug/g						

LCS(B250049-BS1)		Extracted - 01/08/25 16:17 Analyzed - 01/08/25 17:05						
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
1,4-Dioxane	562	ug/g	570		98.6	60-120		
2,2-Dimethylbutane	405	ug/g	435		93.1	60-120		
2,2-Dimethylpropane (neopentane)	3310	ug/g	3120		106	60-120		
2-Butanol	3860	ug/g	3500		110	60-120		
2-Ethoxyethanol	245	ug/g	240		102	60-120		
2-Methylbutane (isopentane)	3420	ug/g	3500		97.8	60-120		
2-Methylpentane/2,3-Dimethylbutane	721	ug/g	745		96.8	60-120		


 Breeanna Hamilton
 Lab Director

Informational testing only, not for OLCC/OMMP/ODA compliance. These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2016 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Quality Control

Solvent Analysis (Continued)

Batch: B250049 - Residual Solvent Prep (Continued)

LCS(B250049-BS1)		Extracted - 01/08/25 16:17 Analyzed - 01/08/25 17:05						
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
2-Methylpropane (isobutane)	3280	ug/g	3120		105	60-120		
2-Propanol (IPA)	3850	ug/g	3500		110	60-120		
3-Methylpentane	422	ug/g	435		96.9	60-120		
Acetone	3720	ug/g	3500		106	60-120		
Acetonitrile	640	ug/g	615		104	60-120		
Benzene	3.18	ug/g	3.00		106	60-120		
Cyclohexane	5990	ug/g	5820		103	60-120		
Dichloromethane (methylene chloride)	1040	ug/g	900		116	60-120		
Ethyl acetate	3630	ug/g	3500		104	60-120		
Ethyl ether	3530	ug/g	3500		101	60-120		
Ethylbenzene	3290	ug/g	3250		101	60-120		
Ethylene glycol	1020	ug/g	930		110	60-120		
Ethylene oxide	414	ug/g	375		110	60-120		
Heptane	3570	ug/g	3500		102	60-120		
Isopropyl acetate	3650	ug/g	3500		104	60-120		
Isopropylbenzene (cumene)	109	ug/g	105		104	60-120		
m,p-Xylene	6660	ug/g	6510		102	60-120		
Methanol	2680	ug/g	2500		107	60-120		
n-Butane	3470	ug/g	3120		111	60-120		
n-Hexane	416	ug/g	435		95.7	60-120		
n-Pentane	3680	ug/g	3500		105	60-120		
Propane	1390	ug/g	1250		111	60-120		
Tetrahydrofuran	1160	ug/g	1080		107	60-120		
Toluene	1340	ug/g	1340		100	60-120		
o-Xylene	3270	ug/g	3250		101	60-120		

Matrix Spike(B250049-MS1)		Extracted - 01/08/25 16:17 Analyzed - 01/08/25 17:26						
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
1,4-Dioxane	478	ug/g	520	< LOQ	92.0	71-131		
2,2-Dimethylbutane	315	ug/g	397	< LOQ	79.4	70-130		
2,2-Dimethylpropane (neopentane)	2510	ug/g	2850	< LOQ	88.2	65-168		
2-Butanol	3170	ug/g	3190	< LOQ	99.3	71-133		
2-Ethoxyethanol	193	ug/g	219	< LOQ	88.1	68-126		
2-Methylbutane (isopentane)	2520	ug/g	3190	< LOQ	79.0	68-141		
2-Methylpentane/2,3-Dimethylbutane	569	ug/g	680	< LOQ	83.7	71-133		


 Breeanna Hamilton
 Lab Director

Informational testing only, not for OLCC/OMMP/ODA compliance. These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2016 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Quality Control

Solvent Analysis (Continued)

Batch: B250049 - Residual Solvent Prep (Continued)

Matrix Spike(B250049-MS1)			Extracted - 01/08/25 16:17 Analyzed - 01/08/25 17:26					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
2-Methylpropane (isobutane)	2340	ug/g	2850	< LOQ	82.1	46-179		
2-Propanol (IPA)	3080	ug/g	3190	< LOQ	96.3	74-138		
3-Methylpentane	334	ug/g	397	< LOQ	84.1	69-129		
Acetone	2910	ug/g	3190	< LOQ	91.1	76-142		
Acetonitrile	506	ug/g	561	< LOQ	90.2	72-134		
Benzene	2.79	ug/g	2.74	< LOQ	102	64-130		
Cyclohexane	5130	ug/g	5310	< LOQ	96.6	78-144		
Dichloromethane (methylene chloride)	854	ug/g	821	< LOQ	104	71-131		
Ethyl acetate	3000	ug/g	3190	< LOQ	93.9	75-139		
Ethyl ether	2750	ug/g	3190	< LOQ	86.1	81-141		
Ethylbenzene	3090	ug/g	2960	< LOQ	104	73-135		
Ethylene glycol	756	ug/g	848	< LOQ	89.1	44-113		
Ethylene oxide	303	ug/g	342	< LOQ	88.5	63-142		
Heptane	3110	ug/g	3190	< LOQ	97.5	76-140		
Isopropyl acetate	3070	ug/g	3190	< LOQ	96.1	76-140		
Isopropylbenzene (cumene)	113	ug/g	95.8	< LOQ	118	61-200		
m,p-Xylene	6240	ug/g	5940	< LOQ	105	74-138		
Methanol	2040	ug/g	2280	52.0	87.0	73-135		
n-Butane	2650	ug/g	2850	< LOQ	93.0	32-176		
n-Hexane	334	ug/g	397	< LOQ	84.2	69-127		
n-Pentane	2830	ug/g	3190	< LOQ	88.5	71-140		
Propane	954	ug/g	1140	< LOQ	83.7	45-152		
Tetrahydrofuran	961	ug/g	985	< LOQ	97.5	74-137		
Toluene	1220	ug/g	1220	< LOQ	99.8	71-131		
o-Xylene	3060	ug/g	2960	< LOQ	103	72-134		

Matrix Spike Dup(B250049-MSD1)			Extracted - 01/08/25 16:17 Analyzed - 01/08/25					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
1,4-Dioxane	506	ug/g	547	< LOQ	92.4	71-131	5.60	25
2,2-Dimethylbutane	340	ug/g	418	< LOQ	81.4	70-130	7.59	25
2,2-Dimethylpropane (neopentane)	2680	ug/g	3000	< LOQ	89.3	65-168	6.36	25
2-Butanol	3380	ug/g	3360	< LOQ	101	71-133	6.42	25
2-Ethoxyethanol	207	ug/g	230	< LOQ	90.0	68-126	7.30	25
2-Methylbutane (isopentane)	2750	ug/g	3360	< LOQ	81.9	68-141	8.75	25
2-Methylpentane/2,3-Dimethylbutane	613	ug/g	715	< LOQ	85.7	71-133	7.50	25



 Breeanna Hamilton
 Lab Director

Informational testing only, not for OLCC/OMMP/ODA compliance. These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2016 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Quality Control

Solvent Analysis (Continued)

Batch: B250049 - Residual Solvent Prep (Continued)

Matrix Spike Dup(B250049-MSD1)			Extracted - 01/08/25 16:17 Analyzed - 01/08/25					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
2-Methylpropane (isobutane)	2510	ug/g	3000	< LOQ	83.8	46-179	7.18	25
2-Propanol (IPA)	3300	ug/g	3360	< LOQ	98.3	74-138	7.18	25
3-Methylpentane	357	ug/g	418	< LOQ	85.4	69-129	6.66	25
Acetone	3150	ug/g	3360	< LOQ	93.7	76-142	8.03	25
Acetonitrile	540	ug/g	591	< LOQ	91.5	72-134	6.53	25
Benzene	2.89	ug/g	2.88	< LOQ	100	64-130	3.32	50
Cyclohexane	5460	ug/g	5590	< LOQ	97.7	78-144	6.24	25
Dichloromethane (methylene chloride)	912	ug/g	864	< LOQ	106	71-131	6.60	25
Ethyl acetate	3190	ug/g	3360	< LOQ	94.9	75-139	6.18	25
Ethyl ether	2950	ug/g	3360	< LOQ	87.9	81-141	7.17	25
Ethylbenzene	3210	ug/g	3120	< LOQ	103	73-135	4.00	25
Ethylene glycol	835	ug/g	893	< LOQ	93.5	44-113	9.94	50
Ethylene oxide	324	ug/g	360	< LOQ	89.8	63-142	6.69	25
Heptane	3330	ug/g	3360	< LOQ	99.1	76-140	6.74	25
Isopropyl acetate	3270	ug/g	3360	< LOQ	97.3	76-140	6.38	25
Isopropylbenzene (cumene)	104	ug/g	101	< LOQ	103	61-200	8.55	25
m,p-Xylene	6640	ug/g	6250	< LOQ	106	74-138	6.09	25
Methanol	2180	ug/g	2400	52.0	88.6	73-135	6.79	25
n-Butane	2830	ug/g	3000	< LOQ	94.2	32-176	6.39	25
n-Hexane	362	ug/g	418	< LOQ	86.8	69-127	8.19	25
n-Pentane	3050	ug/g	3360	< LOQ	90.9	71-140	7.79	25
Propane	1020	ug/g	1200	< LOQ	85.2	45-152	6.90	50
Tetrahydrofuran	1030	ug/g	1040	< LOQ	98.8	74-137	6.50	25
Toluene	1290	ug/g	1280	< LOQ	100	71-131	5.57	25
o-Xylene	3300	ug/g	3120	< LOQ	106	72-134	7.32	25

Metals Analysis

Batch: B250054 - Metals Prep

Blank(B250054-BLK1)			Extracted - 01/08/25 9:26 Analyzed - 01/09/25 14:22					
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Mercury (Hg)	< LOQ	ug/g						
Arsenic (As)	< LOQ	ug/g						
Cadmium (Cd)	< LOQ	ug/g						
Lead (Pb)	< LOQ	ug/g						



 Breeanna Hamilton
 Lab Director

Informational testing only, not for OLCC/OMMP/ODA compliance. These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2016 Standard and SC Laboratories quality assurance plan unless otherwise noted.

Quality Control

Metals Analysis (Continued)

Batch: B250054 - Metals Prep (Continued)

LCS(B250054-BS1)		Extracted - 01/08/25 9:26 Analyzed - 01/09/25 14:25						
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Mercury (Hg)	0.041	ug/g	0.0400		102	80-115		
Arsenic (As)	0.441	ug/g	0.400		110	80-115		
Cadmium (Cd)	0.399	ug/g	0.400		99.8	80-115		
Lead (Pb)	0.398	ug/g	0.400		99.5	80-115		

Matrix Spike(B250054-MS1)		Extracted - 01/08/25 9:26 Analyzed - 01/09/25 14:39						
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Mercury (Hg)	0.038	ug/g	0.0375	< LOQ	100	70-130		
Arsenic (As)	0.411	ug/g	0.375	< LOQ	110	70-130		
Cadmium (Cd)	0.373	ug/g	0.375	< LOQ	99.3	70-130		
Lead (Pb)	0.378	ug/g	0.375	< LOQ	101	70-130		

Matrix Spike Dup(B250054-MSD1)		Extracted - 01/08/25 9:26 Analyzed - 01/09/25						
Analyte	Result	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit
Mercury (Hg)	0.039	ug/g	0.0387	< LOQ	100	70-130	3.07	30
Arsenic (As)	0.439	ug/g	0.387	< LOQ	113	70-130	6.51	30
Cadmium (Cd)	0.378	ug/g	0.387	< LOQ	97.6	70-130	1.41	30
Lead (Pb)	0.394	ug/g	0.387	< LOQ	102	70-130	4.24	30



 Breeanna Hamilton
 Lab Director

Informational testing only, not for OLCC/OMMP/ODA compliance. These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of SC Laboratories. Samples tested in accordance with Oregon Administrative Rules, TNI 2016 Standard and SC Laboratories quality assurance plan unless otherwise noted.



CHAIN OF CUSTODY

SC Laboratories Oregon LLC
 15865 SW 74th Avenue, Ste 110
 Tigard OR, 97224
 (503) 272-8830
 ORELAP ID # 4133
 OLCC License # 010-1018619A26E
 www.sclabs.com

Client: **LAZARUS**
 Address: 10527 Sandy
 OLCC License #: NA
 OLCC License Type: NA
 Email: NA
 Phone: NA
 Name of Sampler: **SCOTT**
 Sampler OLCC License #:

COC #: **25A0018**
 Work Order #: **SCOTT**
 Received By: **SCOTT**
 Received Date: **1/6/25**
 Courier: **SCOTT**
 Transfer Manifest #:
 Date Sampled: **1/6/25**
 Time Sampled:

Sample Type Legend
 U - Usable Marijuana (Flower)
 C - Concentrate or Extract
 P - Product
 I - Inhalable Cannabinoid Product
 O - Other

Sample Name	Time	METRC Label	Harvest or Process Lot	SC Labs LIMS ID	Sample Type	Total Sample Mass	TESTS REQUESTED										Sample Specific Notes							
							Potency	Pesticide	Residual Solvent	Terpene	Moisture Content	Water Activity	Mycotoxins	Metals	Micros									
gny. D9. NPS. N2 - GK32			GK32	25A0018-01	P	40	X	X	X															
" .04510 - GL18			GL18	-02	P	40	X	X	X															
" PF10.N2 - GL11			GL11	-03	P	40	X	X	X															
" H05.N2 - GL07			GL07	-04	P	40	X	X	X															

Notes/Special Considerations:

Samples Relinquished Print Name: Phil Date: 1/6/25 Print Name: SCOTT Date: 1/6/25 Representative of: LAZARUS Representative of: SCL Signature: Signature:	Samples Received Print Name: _____ Date: _____ Print Name: _____ Date: _____ Representative of: _____ Representative of: _____ Signature: _____ Signature: _____
---	---

SAMPLE DETAILS

SAMPLE NAME: CYCL-GMY.D9.MP5-GK32

Infused, Solid Edible

CULTIVATOR / MANUFACTURER

Business Name:

License Number:

Address:

DISTRIBUTOR / TESTED FOR

Business Name: Lazarus Naturals

License Number:

Address:

SAMPLE DETAIL

Batch Number: GK32

Sample ID: 250114M027

Date Collected: 01/14/2025

Date Received: 01/14/2025

Batch Size:

Sample Size: 1.0 units

Unit Mass:

Serving Size:

Scan QR code to verify
authenticity of results.

SAFETY ANALYSIS - SUMMARY

Microbiology (PCR):  PASS


Microbiology (Plating): ND

For quality assurance purposes. Not a Regulatory Hemp Lab Test Report. These results relate only to the sample included in this report. This report shall not be reproduced, except in full, without written approval of the laboratory.

Sample Certification: California Code of Regulations Title 4 Division 19. Department of Cannabis Control Business and Professions Code. Reference: Sections 26100, 26104 and 26110, Business and Professions Code.

Decision Rule: Statements of conformity (e.g. Pass/Fail) to specifications are made in this report without taking measurement uncertainty into account. Where statements of conformity are made in this report, the following decision rules are applied: PASS - Results within limits/specifications, FAIL - Results exceed limits/specifications.

References: limit of detection (LOD), limit of quantification (LOQ), not detected (ND), not tested (NT), µg/g = ppm, µg/kg = ppb, too numerous to count >250 cfu/plate (TNTC), colony-forming unit (cfu)



LQC verified by: Maria Garcia
Job Title: Senior Laboratory Analyst
Date: 01/19/2025



Approved by: Josh Wurzer
Job Title: Chief Compliance Officer
Date: 01/19/2025



Microbiology Analysis

PCR AND PLATING

Analysis conducted by polymerase chain reaction (PCR) and fluorescence detection of microbiological contaminants.

Method: QSP 1221 - Analysis of Microbiological Contaminants

Analysis conducted by 3M™ Petrifilm™ and plate counts of microbiological contaminants.

Method: QSP 6794 - Plating with 3M™ Petrifilm™

MICROBIOLOGY TEST RESULTS (PCR) - 01/19/2025 ✔ PASS

COMPOUND	ACTION LIMIT	RESULT	RESULT
<i>Salmonella</i> spp.	Not Detected in 1g	ND	PASS
Shiga toxin-producing <i>Escherichia coli</i>	Not Detected in 1g	ND	PASS

MICROBIOLOGY TEST RESULTS (PLATING) - 01/19/2025 ND

COMPOUND	RESULT (cfu/g)
Coliforms	ND
Total Aerobic Bacteria	ND
Total Yeast and Mold	ND