



Certificate of Analysis
Compliance Test

Client Information:

JS Wholesale
550 W Sunrise Blvd
Fort Lauderdale, Florida 33311
Order # JSW250523-140001
Order Date: 2025-05-23
Sample # AAGT289

Batch # 182025
Batch Date: 2025-05-23
Extracted From: Hemp

Test Reg State: Georgia

Sampling Date: 2025-05-26
Lab Batch Date: 2025-05-26
Completion Date: 2025-06-06

Initial Gross Weight: 44.300 g

Potency Tested
 HHCP Tested
 HHCP Tested
 Pathogenic Microbiology Passed
 Heavy Metals Passed
 Mycotoxins Passed
Pesticides Passed
 Residual Solvents Passed
 Moisture Tested
 Microbiology (qPCR) Passed
 Filtration Passed



Product Image

Potency (LCUV) (GA) + Potency 25 (LCUV)

Specimen Weight: 1977.230 mg

Pieces For Panel: 15

Analyte	Dilution (1:n)	LOD (mg/g)	LOQ (%)	Result (mg/g)	Result (%)
CBGA	15.000	8.00E-5	0.0125	75.8700	7.5870
Delta9-THCP *	15000.000	1.17E-5	0.01	65.0200	6.5020
Delta-8 THC	15.000	2.60E-5	0.0125	56.0700	5.6070
CBG	15.000	2.48E-4	0.0125	3.4700	0.3470
CBCA	150.000	1.07E-4	0.0125	3.0400	0.3040
Delta8-THCP *	150.000	3.75E-4	0.0125	1.0020	0.1002
CBT	150.000	2.00E-4	0.0125	0.9800	0.0980
CBN	15.000	1.40E-5	0.0125	0.7100	0.0710
THCA-A	15.000	3.20E-5	0.0125	0.6900	0.0690
CBC	15.000	2.76E-5	0.075	0.067	0.067
Delta-8 THCV	15.000	4.00E-5	0.0125	0.6042	0.0604
CBD	15.000	5.40E-5	0.0125	0.006	0.006
CBDA	15.000	1.00E-5	0.0125	<LOQ	<LOQ
Delta-10 THC	15.000	3.00E-6	0.0125	<LOQ	<LOQ
Delta-9 THC	15.000	2.80E-4	0.075	<LOQ	<LOQ
Delta-9 THC-O Acetate	15.000	7.70E-5	0.025	<LOQ	<LOQ
Exo-THC	15.000	2.30E-4	0.0125	<LOQ	<LOQ
CBDV	15.000	6.50E-5	0.0125	<LOQ	<LOQ
CBDVA	15.000	1.40E-5	0.0125	<LOQ	<LOQ
CBL	15.000	3.50E-5	0.0125	<LOQ	<LOQ
CBNA	15.000	9.50E-5	0.0125	<LOQ	<LOQ
Delta-8 THC-O Acetate	15.000	2.70E-5	0.025	<LOQ	<LOQ
THCB *	15.000	1.80E-4	0.0163	<LOQ	<LOQ
THCH *	15.000	3.50E-4	0.0163	<LOQ	<LOQ
THCV	15.000	7.00E-6	0.0125	<LOQ	<LOQ
THCVA	15.000	4.70E-5	0.0125	<LOQ	<LOQ
Total Active CBD	15.000			<LOQ	<LOQ
Total Active THC	15.000			0.605	0.061

Tested
SOP13.001 (LCUV)

Potency Summary

Total HHC None Detected	Total Active THC 0.061%
Total Active CBD None Detected	Total CBG 7.008%
Total CBN 0.071%	Total Cannabinoids 20.819%
Total DELTA-8-THC 5.607%	

Summary Results determined from two distinct Potency Tests - Potency (LCUV) (GA) + Potency 25 (LCUV)

Aixia Sun
Aixia Sun Lab Director/Principal Scientist
D.H.Sc., M.Sc., B.Sc., MT (AAB)

Definitions and Abbreviations used in this report: Total Active CBD = CBD + (CBD-A * 0.877), *Total CBDV = CBDV + (CBDVA * 0.867), Total Active THC = THCA-A * 0.877 + Delta 9 THC, Total THCV = THCV + (THCVA * 0.87), CBG Total = (CBGA * 0.876) + CBG, CBN Total = (CBNA * 0.876) + CBN, Total CBC = CBC + (CBCA * 0.877), Total THC-O-Acetate = Delta 8 THC-O-Acetate + Delta 9 THC-O-Acetate, Total THCP = Delta8-THCP + Delta9-THCP, Total Cannabinoids = Total percentage of cannabinoids within the sample, (mg/ml) = Milligram per Milliliter, LOQ = Limit of Quantitation, LOD = Limit of Detection, Dilution = Dilution Factor, (ppb) = Parts per Billion, (%) = Percent, (cfu/g) = Colony Forming Unit per Gram, (µg/g) = Microgram per Gram, (ppm) = Parts per Million, (µg/g) = (µg/g), (µw) = Water Activity, (mg/kg) = Milligram per Kilogram. The results apply to the sample as received.
This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard. The tests and/or calibrations marked with an "*" are not ISO/IEC 17025:2017 accredited test results.





Certificate of Analysis
Compliance Test

Client Information: JS Wholesale 550 W Sunrise Blvd Fort Lauderdale, Florida 33311	Batch # 182025 Batch Date: 2025-05-23 Extracted From: Hemp	Test Reg State: Georgia
Order # JSW250523-140001 Order Date: 2025-05-23 Sample # AAGT289	Sampling Date: 2025-05-26 Lab Batch Date: 2025-05-26 Completion Date: 2025-06-06	Initial Gross Weight: 44.300 g

Moisture Specimen Weight: N/A Dilution Factor: 1.000	Tested SOP13.015 (Moisture Meter) Result: 12.110	PCR Total Yeast and Mold Specimen Weight: 1011.400 mg Dilution Factor: 20.000	Passed SOP13.017 (qPCR) Result: 11548												
<table border="1"> <thead> <tr> <th>Analyte</th> <th>Action Level (%)</th> <th>Result (%)</th> </tr> </thead> <tbody> <tr> <td>Moisture</td> <td>15</td> <td>12.110</td> </tr> </tbody> </table>	Analyte	Action Level (%)	Result (%)	Moisture	15	12.110	<table border="1"> <thead> <tr> <th>Analyte</th> <th>Action Level (cfu/g)</th> <th>LOQ (cfu/g)</th> <th>Result (cfu/g)</th> </tr> </thead> <tbody> <tr> <td>Total Yeast/Mold</td> <td>100000</td> <td>1000</td> <td>11548</td> </tr> </tbody> </table>	Analyte	Action Level (cfu/g)	LOQ (cfu/g)	Result (cfu/g)	Total Yeast/Mold	100000	1000	11548
Analyte	Action Level (%)	Result (%)													
Moisture	15	12.110													
Analyte	Action Level (cfu/g)	LOQ (cfu/g)	Result (cfu/g)												
Total Yeast/Mold	100000	1000	11548												
Prep. By: 1161 Date: 2025-05-27 10:53:26		Analyzed By: 1161 Date: 2025-05-27 10:53:26													
Reviewed By: 1161 Date: 2025-05-28 09:53:13		Lab Batch #: AAGT289-218 Date: 2025-05-28 09:53:13													

Microbiology Pathogenic AE qPCR - (GA) Specimen Weight: 1008.900 mg Dilution Factor: 1.000	Passed SOP13.029 (qPCR)	Fifth and Foreign Material - (GA) Specimen Weight: N/A Dilution Factor: 1.000	Passed SOP13.020 (Electronic Balance)																												
<table border="1"> <thead> <tr> <th>Analyte</th> <th>Action Level (cfu/g)</th> <th>Result (cfu/g)</th> <th>Analyte</th> <th>Action Level (cfu/g)</th> <th>Result (cfu/g)</th> </tr> </thead> <tbody> <tr> <td>Aspergillus (Flavus, Fumigatus, Niger, Terreus)</td> <td>1</td> <td>Passed</td> <td>STEC</td> <td>1</td> <td>Passed</td> </tr> </tbody> </table>	Analyte	Action Level (cfu/g)	Result (cfu/g)	Analyte	Action Level (cfu/g)	Result (cfu/g)	Aspergillus (Flavus, Fumigatus, Niger, Terreus)	1	Passed	STEC	1	Passed	<table border="1"> <thead> <tr> <th>Analyte</th> <th>Action Level (%)</th> <th>Result (%)</th> <th>Analyte</th> <th>Action Level (%)</th> <th>Result (%)</th> </tr> </thead> <tbody> <tr> <td>Covered Area</td> <td>10</td> <td>0.000</td> <td>Weight %</td> <td>1</td> <td>0.000</td> </tr> <tr> <td>Feces</td> <td>0.5</td> <td>0.000</td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Analyte	Action Level (%)	Result (%)	Analyte	Action Level (%)	Result (%)	Covered Area	10	0.000	Weight %	1	0.000	Feces	0.5	0.000			
Analyte	Action Level (cfu/g)	Result (cfu/g)	Analyte	Action Level (cfu/g)	Result (cfu/g)																										
Aspergillus (Flavus, Fumigatus, Niger, Terreus)	1	Passed	STEC	1	Passed																										
Analyte	Action Level (%)	Result (%)	Analyte	Action Level (%)	Result (%)																										
Covered Area	10	0.000	Weight %	1	0.000																										
Feces	0.5	0.000																													

Aixia Sun
Aixia Sun Lab Director/Principal Scientist
D.H.Sc., M.Sc., B.Sc., MT (AAB)

Definitions are found on page 1
This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard. The tests and/or calibrations marked with an "*" are not ISO/IEC 17025:2017 accredited test results.





Certificate of Analysis
Compliance Test

Client Information:

JS Wholesale
550 W Sunrise Blvd
Fort Lauderdale, Florida 33311

Batch # 182025
Batch Date: 2025-05-23
Extracted From: Hemp

Test Reg State: Georgia

Order # JSW250523-140001
Order Date: 2025-05-23
Sample # AAG289

Sampling Date: 2025-05-26
Lab Batch Date: 2025-05-26
Completion Date: 2025-06-06

Initial Gross Weight: 44.300 g



Heavy Metals

Specimen Weight: 251.200 mg

Passed
SOP13.048 (ICP-MS)

Dilution Factor: 199

Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)	Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)
Arsenic (As)	4.83	100	200	<LOQ	Lead (Pb)	11.76	100	500	<LOQ
Cadmium (Cd)	.64	100	200	151.929	Mercury (Hg)	.58	100	200	<LOQ



Residual Solvents (GA-4)

Specimen Weight: 300.700 mg

Passed
SOP13.039 (GCMS-HS)

Dilution Factor: 1.000

Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)	Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)
Butane	0.4167	53.6	800000	<LOQ	Heptane	0.0013	29.8	500000	<LOQ
Ethanol	0.0021	59.5	5000000	2996490.710	Hexane	0.068	25	100000	<LOQ



Mycotoxins

Specimen Weight: 610.800 mg

Passed
SOP13.007 (LCMS)

Dilution Factor: 2.460

Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)	Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)
Aflatoxin B1	3.0400E-1	6	20	<LOQ	Aflatoxin G2	2.7100E-1	6	20	<LOQ
Aflatoxin B2	7.7000E-2	6	20	<LOQ	Ochratoxin A	7.5400E-1	3.8	20	<LOQ
Aflatoxin G1	3.0400E-1	6	20	<LOQ					

Aixia Sun
Aixia Sun Lab Director/Principal Scientist
D.H.Sc., M.Sc., B.Sc., MT (AAB)

Definitions are found on page 1

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard. The tests and/or calibrations marked with an "*" are not ISO/IEC 17025:2017 accredited test results.





Certificate of Analysis
Compliance Test

Client Information:

JS Wholesale
550 W Sunrise Blvd
Fort Lauderdale, Florida 33311
Order # JSW250523-140001
Order Date: 2025-05-23
Sample # AAGT289

Batch # 182025
Batch Date: 2025-05-23
Extracted From: Hemp

Test Reg State: Georgia

Sampling Date: 2025-05-26
Lab Batch Date: 2025-05-26
Completion Date: 2025-06-06

Initial Gross Weight: 44.300 g

HHCP

Specimen Weight: 1977.230 mg

Tested
SOP13.050 (LCMS)

Dilution Factor: 75000.000

Analyte	LOD (%)	LOQ (%)	Result (mg/g)	(%) Analyte	LOD (%)	LOQ (%)	Result (mg/g)	(%)
(9R)-HHC	3.6600E-6	0.075	<LOQ	<LOQ CBC	2.760000E-5	0.075	<LOQ	<LOQ
(9S)-HHC	6.6000E-6	0.075	<LOQ	<LOQ Delta-8 THC methyl ether	2.480000E-4	0.075	<LOQ	<LOQ
(±)-9B-hydroxy-HHC	7.7800E-6	0.075	<LOQ	<LOQ Delta-9 THC	2.8000E-4	0.075	<LOQ	<LOQ
1(R)-H4-CBD	7.330000E-7	0.15	<LOQ	<LOQ Delta-9 THC methyl ether	1.600000E-4	0.075	<LOQ	<LOQ
1(S)-H4-CBD	6.630000E-7	0.15	<LOQ	<LOQ H2-CBD	1.440000E-7	0.075	<LOQ	<LOQ
9(R)-HHCP	3.0900E-5	0.075	<LOQ	<LOQ Total HHC	0.075	0.075	<LOQ	<LOQ
9(S)-HHCP	2.5500E-5	0.075	<LOQ	<LOQ				

Aixa Sun Lab Director/Principal Scientist
D.H.Sc., M.Sc., B.Sc., MT (AAB)

Definitions are found on page 1

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard. The tests and/or calibrations marked with an "*" are not ISO/IEC 17025:2017 accredited test results.





Certificate of Analysis
Compliance Test

Client Information:

JS Wholesale
550 W Sunrise Blvd
Fort Lauderdale, Florida 33311

Batch # 182025
Batch Date: 2025-05-23
Extracted From: Hemp

Test Reg State: Georgia

Order # JSW250523-140001
Order Date: 2025-05-23
Sample # AAGT289

Sampling Date: 2025-05-26
Lab Batch Date: 2025-05-26
Completion Date: 2025-06-06

Initial Gross Weight: 44.300 g

Pesticides

Specimen Weight: 610.800 mg

Passed
SOP13.007 (LCMS)

Dilution Factor: 2.460

Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)	Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)
Abamectin	2.8800E-1	28.23	100	<LOQ	Fludioxonil	1.7400E+0	48	100	<LOQ
Acephate	2.3000E-2	30	100	<LOQ	Hexythiazox	4.9000E-2	30	100	<LOQ
Acequinocyl	9.5640E+0	48	100	<LOQ	Imazalil	2.4800E-1	30	100	<LOQ
Acetamiprid	5.2000E-2	30	100	<LOQ	Imidacloprid	9.4000E-2	30	400	<LOQ
Aldicarb	2.6000E-2	30	100	<LOQ	Kresoxim Methyl	4.2000E-2	30	100	<LOQ
Azoxystrobin	8.1000E-2	10	100	<LOQ	Malathion	8.2000E-2	30	200	<LOQ
Bifenazate	1.4150E+0	30	100	<LOQ	Metaxalyl	8.1000E-2	10	100	<LOQ
Bifenthrin	4.3000E-2	30	200	<LOQ	Methiocarb	3.2000E-2	30	100	<LOQ
Boscalid	5.5000E-2	10	100	<LOQ	Methomyl	2.2000E-2	30	100	<LOQ
Captan	6.1200E+0	30	700	<LOQ	methyl-Parathion	1.7100E+0	10	100	<LOQ
Carbaryl	2.2000E-2	10	500	<LOQ	Mevinphos	2.1500E+0	10	100	<LOQ
Carbofuran	3.4000E-2	10	100	<LOQ	MGK-264	5.8500E-1	10	100	<LOQ
Chlorantraniliprole	3.3000E-2	10	1000	<LOQ	Myclobutanil	1.0290E+0	30	100	<LOQ
Chlordane	1.0000E+1	10	100	<LOQ	Naled	9.5000E-2	30	250	<LOQ
Chlorfenapyr	3.4000E-2	30	100	<LOQ	Oxamyl	2.5000E-2	30	500	<LOQ
Chloromequat Chloride	1.0800E-1	10	1000	<LOQ	Pacllobutrazol	6.5000E-2	30	100	<LOQ
Chlorpyrifos	3.5000E-2	30	100	<LOQ	Pentachloronitrobenzene	1.3200E+0	10	150	<LOQ
Clofentezine	1.1900E-1	30	200	<LOQ	Permethrin	3.4300E-1	30	100	<LOQ
Coumaphos	3.7700E+0	48	100	<LOQ	Phosmet	8.2000E-2	30	100	<LOQ
Cyfluthrin	3.1100E+0	30	500	<LOQ	Piperonylbutoxide	2.9000E-2	30	3000	<LOQ
Cypermethrin	1.4490E+0	30	500	<LOQ	Prallethrin	7.9800E-1	30	100	<LOQ
Daminozide	8.8500E-1	30	100	<LOQ	Propiconazole	7.0000E-2	30	100	<LOQ
Diazinon	4.4000E-2	30	100	<LOQ	Propoxur	4.6000E-2	30	100	<LOQ
Dichlorvos	2.1820E+0	30	100	<LOQ	Pyrethrins	2.3593E+1	30	500	<LOQ
Dimethoate	2.1000E-2	30	100	<LOQ	Pyridaben	3.2000E-2	30	200	<LOQ
Dimethomorph	5.8300E+0	48	200	<LOQ	Spinetoram	8.0000E-2	10	200	<LOQ
Ethoprophos	3.6000E-1	30	100	<LOQ	Spinosad	8.8000E-2	30	100	<LOQ
Etofenprox	1.1600E-1	30	100	<LOQ	Spiromesifen	2.6100E-1	30	100	<LOQ
Etoxazole	9.5000E-2	30	100	<LOQ	Spirotetramat	8.9000E-2	30	100	<LOQ
Fenhexamid	5.1000E-1	10	100	<LOQ	Spiroxamine	1.3100E-1	30	100	<LOQ
Fenoxycarb	1.0700E-1	30	100	<LOQ	Tebuconazole	6.7000E-2	30	100	<LOQ
Fenpyroximate	1.3800E-1	30	100	<LOQ	Thiacloprid	6.4000E-2	30	100	<LOQ
Fipronil	1.0700E-1	30	100	<LOQ	Thiamethoxam	5.0000E-2	30	500	<LOQ
Flonicamid	5.1700E-1	30	100	<LOQ	Trifloxystrobin	3.7000E-2	30	100	<LOQ

Aixia Sun
Aixia Sun Lab Director/Principal Scientist
D.H.Sc., M.Sc., B.Sc., MT (AAB)

Definitions are found on page 1

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard. The tests and/or calibrations marked with an "*" are not ISO/IEC 17025:2017 accredited test results.

