



Certificate of Analysis
Compliance Test

Client Information:

AWK Distro
624 Hampton Park Drive
Birmingham, Alabama 35216

Batch # 20250422001
Batch Date: 2025-04-29
Extracted From: HEMP

Test Reg State: Georgia
Food Permit #: 420113

Order # TER250429-300001
Order Date: 2025-04-29
Sample # AAGQ897

Sampling Date: 2025-06-12
Lab Batch Date: 2025-06-12
Completion Date: 2025-06-24

Initial Gross Weight: 35.500 g



**Potency
Tested**

HHC

Tested



Pathogenic Microbiology

Passed



**Heavy Metals
Passed**



**Mycotoxins
Passed**



**Pesticides
Passed**



Residual Solvents
Passed



Microbiology (qPCR)
Passed



Filtration and Foreign
Passed

Product Image

**Potency (LCUV) (GA) + Potency
25 (LCUV)**

Tested

SOP13.001 (LCUV)



Potency Summary

Specimen Weight: 1580.110 mg

Analyte	Dilution (1:n)	LOD (mg/g)	LOQ (%)	Result (mg/g)	(%)
Delta9-THCP *	15.000	1.17E-5	0.01	84.3400	8.4340
CBGA	15.000	8.00E-5	0.0125	82.5400	8.2540
Delta-8 THC	15.000	2.60E-5	0.0125	70.9400	7.0940
CBG	15.000	2.48E-4	0.0125	4.6800	0.4680
CBCA	15.000	1.07E-4	0.0125	4.6400	0.4640
Delta-9 THC-O Acetate	15.000	7.70E-5	0.025	3.3900	0.3390
Delta8-THCP *	15.000	3.75E-4	0.0125	3.2300	0.3230
CBC	15.000	2.76E-5	0.075	1.7500	0.1750
CBN	15.000	1.40E-5	0.0125	0.9300	0.0930
Delta-8 THCV	15.000	4.00E-5	0.0125	0.8300	0.0830
THCA-A	15.000	3.20E-5	0.0125	0.6500	0.0650
CBL	15.000	3.50E-5	0.0125	0.2700	0.0270
CBDA	15.000	1.00E-5	0.0125	0.1700	0.0170
CBD	15.000	5.40E-5	0.0125	<LOQ	<LOQ
Delta-10 THC	15.000	3.00E-6	0.0125	<LOQ	<LOQ
Delta-9 THC	15.000	2.80E-4	0.075	<LOQ	<LOQ
Exo-THC	15.000	2.30E-4	0.0125	<LOQ	<LOQ
CBDV	15.000	6.50E-5	0.0125	<LOQ	<LOQ
CBDVA	15.000	1.40E-5	0.0125	<LOQ	<LOQ
CBNA	15.000	9.50E-5	0.0125	<LOQ	<LOQ
CBT	15.000	2.00E-4	0.0125	<LOQ	<LOQ
Delta-8 THC-O Acetate	15.000	2.70E-5	0.025	<LOQ	<LOQ
THCB *	15.000	1.80E-4	0.0163	<LOQ	<LOQ
THCH *	15.000	3.50E-4	0.0163	<LOQ	<LOQ
THCV	15.000	7.00E-6	0.0125	<LOQ	<LOQ
THCVA	15.000	4.70E-5	0.0125	<LOQ	<LOQ
Total Active CBD	15.000			0.149	0.015
Total Active THC	15.000			0.570	0.057

Total HHC None Detected	Total Active THC 0.057%
Total Active CBD 0.015%	Total CBG 7.715%
Total CBN 0.093%	Total Cannabinoids 25.836%

Summary Results determined from two distinct Potency Tests - Potency (LCUV) (GA) + Potency 25 (LCUV)

Aixia Sun
Aixia Sun Lab Director/Principal Scientist
D.H.Sc., M.Sc., B.Sc., MT (AAB)

Definitions and Abbreviations used in this report: Total Active CBD = CBD + (CBD-A * 0.877), *Total CBDV = CBDV + (CBDVA * 0.867), Total Active THC = THCA-A * 0.877 + Delta 9 THC, Total THCV = THCV + (THCVA * 0.87), CBG Total = (CBGA * 0.878) + CBG, CBN Total = (CBNA * 0.876) + CBN, Total CBC = CBC + (CBCA * 0.877), Total THC-O-Acetate = Delta 8 THC-O-Acetate + Delta 9 THC-O-Acetate, Total THCP = Delta8-THCP + Delta9-THCP, Total Cannabinoids = Total percentage of cannabinoids within the sample. (mg/ml) = Milligrams per Milliliter, LOQ = Limit of Quantitation, LOD = Limit of Detection, Dilution = Dilution Factor, (ppb) = Parts per Billion, (%) = Percent, (cfu/g) = Colony Forming Unit per Gram, (µg/g) = Microgram per Gram, (ppm) = Parts per Million, (µg/g), (aw) = Water Activity, (mg/Kg) = Milligram per Kilogram. The results apply to the sample as received. This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard. The tests and/or calibrations marked with an "*" are not ISO/IEC 17025:2017 accredited test results.





Certificate of Analysis
Compliance Test

Client Information:

AWK Distro
624 Hampton Park Drive
Birmingham, Alabama 35216

Batch # 20250422001
Batch Date: 2025-04-29
Extracted From: HEMP

Test Reg State: Georgia
Food Permit #: 420113

Order # TER250429-300001
Order Date: 2025-04-29
Sample # AAGQ897

Sampling Date: 2025-06-12
Lab Batch Date: 2025-06-12
Completion Date: 2025-06-24

Initial Gross Weight: 35.500 g

PCR Total Yeast and Mold
Specimen Weight: 976.200 mg
Dilution Factor: 20.000

Analyte	Action Level (cfu/g)	LOQ (cfu/g)	Result (cfu/g)
Total Yeast/Mold	100000	1000	<LOQ
Prep. By: 1161	Date: 2025-06-13 11:08:09	Analyzed By: 1161	Date: 2025-06-13 11:08:09
Reviewed By: 1161	Date: 2025-06-14 07:13:22	Lab Batch #: AAGQ897-218	Date: 2025-06-14 07:13:22

Passed
SOP13.017 (qPCR)

Microbiology Pathogenic AE qPCR - (GA)
Specimen Weight: 1045.800 mg
Dilution Factor: 1.000

Analyte	Action Level (cfu/g)	Result (cfu/g)	Analyte	Action Level (cfu/g)	Result (cfu/g)
Aspergillus (Flavus, Fumigatus, Niger, Terreus)	1	1	STEC	1	Passed

Passed
SOP13.029 (qPCR)

Filth and Foreign Material - (GA)
Specimen Weight: N/A Dilution Factor: 1.000

Analyte	Action Level (%)	Result (%)	Analyte	Action Level (%)	Result (%)
Covered Area	10	0.000	Weight %	1	0.000
Feces	0.5	0.000			

Passed
SOP13.020 (Electronic Balance)

Aixia Sun
Aixia Sun Lab Director/Principal Scientist
D.H.Sc., M.Sc., B.Sc., MT (AAB)

Definitions are found on page 1

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard. The tests and/or calibrations marked with an "*" are not ISO/IEC 17025:2017 accredited test results.





Certificate of Analysis
Compliance Test

Client Information:

AWK Distro

624 Hampton Park Drive
Birmingham, Alabama 35216

Batch # 20250422001
Batch Date: 2025-04-29
Extracted From: HEMP

Test Reg State: Georgia
Food Permit #: 420113

Order # TER250429-300001
Order Date: 2025-04-29
Sample # AAGQ897

Sampling Date: 2025-06-12
Lab Batch Date: 2025-06-12
Completion Date: 2025-06-24

Initial Gross Weight: 35.500 g



Heavy Metals

Specimen Weight: 252.600 mg

Dilution Factor: 197

Passed

SOP13.048 (ICP-MS)

Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)	Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)
Arsenic (As)	4.83	100	200	<LOQ	Lead (Pb)	11.76	100	500	<LOQ
Cadmium (Cd)	.64	100	200	174.610	Mercury (Hg)	.58	100	200	<LOQ



Residual Solvents (GA-4)

Specimen Weight: 300.300 mg

Dilution Factor: 1.000

Passed

SOP13.039 (GCMS-HS)

Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)	Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)
Butane	0.4167	53.6	800000	<LOQ	Heptane	0.0013	29.8	500000	<LOQ
Ethanol	0.0021	59.5	5000000	3001288.490	Hexane	0.068	25	100000	<LOQ



Mycotoxins

Specimen Weight: 586.700 mg

Dilution Factor: 2.560

Passed

SOP13.007 (LCMS)

Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)	Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)
Aflatoxin B1	3.0400E-1	6	20	<LOQ	Aflatoxin G2	2.7100E-1	6	20	<LOQ
Aflatoxin B2	7.7000E-2	6	20	<LOQ	Ochratoxin A	7.5400E-1	3.8	20	<LOQ
Aflatoxin G1	3.0400E-1	6	20	<LOQ					

Aixia Sun
Aixia Sun Lab Director/Principal Scientist
D.H.Sc., M.Sc., B.Sc., MT (AAB)

Definitions are found on page 1

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard. The tests and/or calibrations marked with an "*" are not ISO/IEC 17025:2017 accredited test results.





Certificate of Analysis
Compliance Test

Client Information:

AWK Distro
624 Hampton Park Drive
Birmingham, Alabama 35216
Order # TER250429-300001
Order Date: 2025-04-29
Sample # AAGQ897

Batch # 20250422001
Batch Date: 2025-04-29
Extracted From: HEMP

Test Reg State: Georgia
Food Permit #: 420113

Sampling Date: 2025-06-12
Lab Batch Date: 2025-06-12
Completion Date: 2025-06-24

Initial Gross Weight: 35.500 g

HHCP

Specimen Weight: 1580.110 mg
Dilution Factor: 7500.000

Tested

SOP13.050 (LCMS)

Analyte	LOD (%)	LOQ (%)	Result (mg/g)	(%) Analyte	LOD (%)	LOQ (%)	Result (mg/g)	(%)
(9R)-HHC	3.6600E-6	0.075	<LOQ	<LOQ CBC	2.760000E-5	0.075	1.7500	0.175
(9S)-HHC	6.6000E-6	0.075	<LOQ	<LOQ Delta-8 THC methyl ether	2.480000E-4	0.075	<LOQ	<LOQ
(±)-9β-hydroxy-HHC	7.7800E-6	0.075	<LOQ	<LOQ Delta-9 THC	2.8000E-4	0.075	<LOQ	<LOQ
1(R)-H4-CBD	7.330000E-7	0.15	<LOQ	<LOQ Delta-9 THC methyl ether	1.600000E-4	0.075	<LOQ	<LOQ
1(S)-H4-CBD	6.630000E-7	0.15	<LOQ	<LOQ H2-CBD	1.440000E-7	0.075	<LOQ	<LOQ
9(R)-HHCP	3.0900E-5	0.075	<LOQ	<LOQ Total HHC		0.075	<LOQ	<LOQ
9(S)-HHCP	2.5500E-5	0.075	<LOQ	<LOQ				

Aixia Sun
Aixia Sun Lab Director/Principal Scientist
D.H.Sc., M.Sc., B.Sc., MT (AAB)

Definitions are found on page 1

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard. The tests and/or calibrations marked with an "*" are not ISO/IEC 17025:2017 accredited test results.





Certificate of Analysis
Compliance Test

Client Information:

AWK Distro
624 Hampton Park Drive
Birmingham, Alabama 35216

Batch # 20250422001
Batch Date: 2025-04-29
Extracted From: HEMP

Test Reg State: Georgia
Food Permit #: 420113

Order # TER250429-300001
Order Date: 2025-04-29
Sample # AAGQ897

Sampling Date: 2025-06-12
Lab Batch Date: 2025-06-12
Completion Date: 2025-06-24

Initial Gross Weight: 35.500 g

Pesticides
Specimen Weight: 586.700 mg
Dilution Factor: 2.560

Passed
SOP13.007 (LCMS)

Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)	Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)
Abamectin	2.8800E-1	28.23	100	<LOQ	Fludioxonil	1.7400E+0	48	100	<LOQ
Acephate	2.3000E-2	30	100	<LOQ	Hexythiazox	4.9000E-2	30	100	<LOQ
Acequinocyl	9.5640E+0	48	100	<LOQ	Imazalil	2.4800E-1	30	100	<LOQ
Acetamiprid	5.2000E-2	30	100	<LOQ	Imidacloprid	9.4000E-2	30	400	<LOQ
Aldicarb	2.6000E-2	30	100	<LOQ	Kresoxim Methyl	4.2000E-2	30	100	<LOQ
Azoxystrobin	8.1000E-2	10	100	<LOQ	Malathion	8.2000E-2	30	200	<LOQ
Bifenazate	1.4150E+0	30	100	<LOQ	Metalaxyl	8.1000E-2	10	100	<LOQ
Bifenthrin	4.3000E-2	30	200	<LOQ	Methiocarb	3.2000E-2	30	100	<LOQ
Boscalid	5.5000E-2	10	100	<LOQ	Methomyl	2.2000E-2	30	100	<LOQ
Captan	6.1200E+0	30	700	<LOQ	methyl-Parathion	1.7100E+0	10	100	<LOQ
Carbaryl	2.2000E-2	10	500	<LOQ	Mevinphos	2.1500E+0	10	100	<LOQ
Carbofuran	3.4000E-2	10	100	<LOQ	MGK-264	5.8500E-1	10	100	<LOQ
Chlorantraniliprole	3.3000E-2	10	1000	<LOQ	Myclobutanil	1.0290E+0	30	100	<LOQ
Chlordane	1.0000E+1	10	100	<LOQ	Naled	9.5000E-2	30	250	<LOQ
Chlorfenapyr	3.4000E-2	30	100	<LOQ	Oxamyl	2.5000E-2	30	500	<LOQ
Chloromequat Chloride	1.0800E-1	10	1000	<LOQ	Pacllobutrazol	6.5000E-2	30	100	<LOQ
Chlorpyrifos	3.5000E-2	30	100	<LOQ	Pentachloronitrobenzene	1.3200E+0	10	150	<LOQ
Clofentazine	1.1900E-1	30	200	<LOQ	Permethrin	3.4300E-1	30	100	<LOQ
Coumaphos	3.7700E+0	48	100	<LOQ	Phosmet	8.2000E-2	30	100	<LOQ
Cyfluthrin	3.1100E+0	30	500	<LOQ	Piperonylbutoxide	2.9000E-2	30	3000	<LOQ
Cypermethrin	1.4490E+0	30	500	<LOQ	Prallethrin	7.9800E-1	30	100	<LOQ
Daminozide	8.8500E-1	30	100	<LOQ	Propiconazole	7.0000E-2	30	100	<LOQ
Diazinon	4.4000E-2	30	100	<LOQ	Propoxur	4.6000E-2	30	100	<LOQ
Dichlorvos	2.1820E+0	30	100	<LOQ	Pyrethrins	2.3593E+1	30	500	<LOQ
Dimethoate	2.1000E-2	30	100	<LOQ	Pyridaben	3.2000E-2	30	200	<LOQ
Dimethomorph	5.8300E+0	48	200	<LOQ	Spinetoram	8.0000E-2	10	200	<LOQ
Ethoprophos	3.6000E-1	30	100	<LOQ	Spinosad	8.8000E-2	30	100	<LOQ
Etofenprox	1.1600E-1	30	100	<LOQ	Spiromesifen	2.6100E-1	30	100	<LOQ
Etoxazole	9.5000E-2	30	100	<LOQ	Spirotetramat	8.9000E-2	30	100	<LOQ
Fenhexamid	5.1000E-1	10	100	<LOQ	Spiroxamine	1.3100E-1	30	100	<LOQ
Fenoxycarb	1.0700E-1	30	100	<LOQ	Tebuconazole	6.7000E-2	30	100	<LOQ
Fenpyroximate	1.3800E-1	30	100	<LOQ	Thiacloprid	6.4000E-2	30	100	<LOQ
Fipronil	1.0700E-1	30	100	<LOQ	Thiamethoxam	5.0000E-2	30	500	<LOQ
Flonicamid	5.1700E-1	30	100	<LOQ	Trifloxystrobin	3.7000E-2	30	100	<LOQ

Aixia Sun
Aixia Sun Lab Director/Principal Scientist
D.H.Sc., M.Sc., B.Sc., MT (AAB)

Definitions are found on page 1

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard. The tests and/or calibrations marked with an "*" are not ISO/IEC 17025:2017 accredited test results.

